


Component Mounting Side of PCB




Insert Arrangement

6-4, 8-4

4 #23 Contacts
.022 (0.56) Max. Dia. Tail



Pin Connector




Socket Connector




Insert Arrangement

5-3


3 #23 Contacts
.022 (0.56) Max. Dia. Tail



Pin Connector




Socket Connector




Insert Arrangement

6-7, 8-7


7 #23 Contacts
.022 (0.56) Max. Dia. Tail



Pin Connector




Socket Connector




Insert Arrangement

7-10, 9-10

10 #23 Contacts
.022 (0.56) Max. Dia. Tail



Pin Connector




Socket Connector




Insert Arrangement

8-2, 10-2

2 #16 Contacts



Pin Connector















Socket Connector

Dimensions in inches (millimeters) and are subject to change without notice.

Series 80 "Mighty Mouse" Straight PCB Footprints




Component Mounting Side of PCB


 <p>Insert Arrangement 8-200, 10-200 2 #20 Contacts 4 #23 Contacts</p>	 <p>Pin Connector</p>	 <p>Socket Connector</p>
 <p>Insert Arrangement 8-13, 10-13 13 #23 Contacts .022 (0.56) Max. Dia. Tail</p>	 <p>Pin Connector</p>	 <p>Socket Connector</p>
 <p>Insert Arrangement 9-4, 11-4 4 #16 Contacts</p>	 <p>Pin Connector</p>	 <p>Socket Connector</p>
 <p>Insert Arrangement 9-200, 11-200 4 #23 Contacts 2 #16 Contacts</p>	 <p>Pin Connector</p>	 <p>Socket Connector</p>

Dimensions in inches (millimeters) and are subject to change without notice.


Component Mounting Side of PCB




Insert Arrangement
9-201, 11-201
2 #20 Contacts
8 #23 Contacts




Pin Connector




Socket Connector




Insert Arrangement
9-19, 11-19
19 #23 Contacts
.022 (0.56) Max. Dia. Tail




Pin Connector




Socket Connector




Insert Arrangement
10-5, 12-5
5 #16 Contacts




Pin Connector




Socket Connector



Insert Arrangement
10-201, 12-201
2 #12 Contacts
4 #23 Contacts



Pin Connector












Socket Connector

Dimensions in inches (millimeters) and are subject to change without notice.

Series 80 "Mighty Mouse" Straight PCB Footprints




Component Mounting Side of PCB


 <p>Insert Arrangement 10-202, 12-202 2 #16 Contacts 8 #23 Contacts</p>	 <p>Pin Connector</p>	 <p>Socket Connector</p>
 <p>Insert Arrangement 10-200, 12-200 1 #12 Contact 12 #23 Contacts</p>	 <p>Pin Connector</p>	 <p>Socket Connector</p>
 <p>Insert Arrangement 10-26, 12-26 26 #23 Contacts .022 (0.56) Max. Dia. Tail</p>	 <p>Pin Connector</p>	 <p>Socket Connector</p>

Dimensions in inches (millimeters) and are subject to change without notice.


Component Mounting Side of PCB




Insert Arrangement
12-2, 13-2, 15-2
2 #12 Contacts




Pin Connector




Socket Connector




Insert Arrangement
12-3, 13-3, 15-3
3 #12 Contacts




Pin Connector




Socket Connector




Insert Arrangement
12-7, 13-7, 15-7
7 #16 Contacts




Pin Connector




Socket Connector



Insert Arrangement
12-200, 13-200, 15-200
2 #12 Contacts
6 #23 Contacts



Pin Connector




Socket Connector

Dimensions in inches (millimeters) and are subject to change without notice.


Series 80 "Mighty Mouse" Straight PCB Footprints




Component Mounting Side of PCB




Insert Arrangement
12-201, 13-201, 15-201
2 #12 Contacts
10 #23 Contacts




Pin Connector




Socket Connector




Insert Arrangement
12-37, 13-37, 15-37
37 #23 Contacts
.022 (0.56) Max. Dia. Tail




Pin Connector




Socket Connector



Insert Arrangement
14-5, 16-5, 18-5
5 #12 Contacts




Pin Connector




Socket Connector

Dimensions in inches (millimeters) and are subject to change without notice.


Component Mounting Side of PCB




Insert Arrangement
14-12, 16-12, 18-12
12 #16 Contacts




Pin Connector




Socket Connector



Insert Arrangement
14-55, 16-55, 18-55
55 #23 Contacts
.022 (0.56) Max. Dia. Tail



Pin Connector





Socket Connector

Dimensions in inches (millimeters) and are subject to change without notice.

Series 80 "Mighty Mouse" Straight PCB Footprints




Component Mounting Side of PCB



Dimensions in inches (millimeters) and are subject to change without notice.

Component Mounting Side of PCB

B




Insert Arrangement


15-85, 17-85, 19-85

85 #23 Contacts

.022 (0.56) Max. Dia. Tail



Pin Connector



Socket Connector

Dimensions in inches (millimeters) and are subject to change without notice.

© 2009 Glenair, Inc.

CAGE Code 06324

Printed in U.S.A.

GLENAIR, INC. • 1211 AIR WAY • GLENDALE, CA 91201-2497 • 818-247-6000 • FAX 818-500-9912

www.glenair.com


B-12

E-Mail: sales@glenair.com


Rev. 03-FEB-2009

Component Mounting Side of PCB


B



Insert Arrangement
21-12, 23-12
12 #12 Contacts



Pin Connector




Socket Connector


Dimensions in inches (millimeters) and are subject to change without notice.

Component Mounting Side of PCB


B



Pin Connector



Insert Arrangement
21-22, 23-22
22 #16 Contacts



Socket Connector

Dimensions in inches (millimeters) and are subject to change without notice.

© 2009 Glenair, Inc.

CAGE Code 06324

Printed in U.S.A.

GLENAIR, INC. • 1211 AIR WAY • GLENDALE, CA 91201-2497 • 818-247-6000 • FAX 818-500-9912

www.glenair.com

B-14


E-Mail: sales@glenair.com

Rev. 03-FEB-2009

Series 80 "Mighty Mouse" Straight PCB Footprints



Component Mounting Side of PCB




Insert Arrangement


21-130, 23-130

130 #23 Contacts

.022 (0.56) Max. Dia. Tail



Pin Connector



Socket Connector

Dimensions in inches (millimeters) and are subject to change without notice.